



# medTAB<sup>®</sup>

patient experience on demand

**NEW** GENiO™ cloud technology  
Get Genius Smart™

Customize your patient engagement experience, affordably.

Arm Mounts or VESA

Easy Clean Glass Front

Low-voltage Power over Coax or PoE

USB or RF-HEMIS TV Cloning

Multi-touch Displays

Pro:Idiom<sup>®</sup>

**14"**

medTAB<sup>14</sup>

**15.6"**

medTAB<sup>16</sup>

**18.5"**

medTAB<sup>19</sup>

UL LISTED

Built For Healthcare

Preloaded Games, TV & Relaxation

Patient Privacy Feature

Antimicrobial Plastics

Front Headphone Jack

WiFi and ENET

## COMPLETE TOUCHSCREEN SOLUTIONS THAT SATISFY PATIENTS & STAFF

- Cloud-based GENiO remote content management on medTAB delivers a custom patient TV experience with your brand logo, weblinks to your patient education videos, daily menus, video call software, patient surveys and more.
- PDi makes it affordable and easy to manage with NO ADT integration.
- Not ready to customize? medTAB is simple and scalable out-of-the-box. Choose to setup TV with internet or offer patients expanded entertainment (NO internet required) with pre-loaded TV, games and relaxation.
- Bleach-cleanable and built for infection control, the complete medTAB arm-mounted patient TV system is built by PDi, the largest TV maker in the USA, focused on healthcare since 1980.

# Everything You Need For An Entertainment System Designed Around The Patient



medTAB Device

## OUT-OF-THE-BOX EXPERIENCE

preloaded



TV



Games



Relaxation

with internet



Education  
(cdc.gov)



Internet



Social


✗ Includes "clear data" feature for patient privacy

## GENiO™ CUSTOM EXPERIENCE


Cloud-based content management to differentiate your patient engagement experience

**GENiO**  
powered by PDI


## Dimensions (inches)



medTAB<sup>14</sup>



medTAB<sup>16</sup>



medTAB<sup>19</sup>



## 1400 Series Arm

- Reduces back, neck, and eye strain
- A better audio experience
- Secures your device investment
- Intelligent cable management
- UL-Listed & Antimicrobial

"...severe headaches made it difficult for my father to wear his glasses, but the TV swing arm allowed him to pull the television close and alleviate his boredom between visits from family and friends."  
- Rich C.

## Low-voltage Power Supplies

- Safe, UL-Listed low-voltage power supplies
- Ask about PoE



**Slim Power Mount**  
120 VAC In / 24 VDC Out  
2.5 amps  
**PDI-871-COLOR**

**Standard External Power Supply**  
120 VAC In / 24 VDC Out  
2.5 amps  
**PDI-750AS-COLOR**




**Ten-Tap Power Supply**  
Input 115 VAC/60Hz  
Selectable Output 28 VAC or 32 VAC  
**PDI-722HE-COLOR**

# GENiO™



powered by PDi

Deliver a consistent, patient education approach, while optimizing staff efficiency.



## Secure Mounts for Hospitals, Dialysis, Clinics, Senior Living & More

*PDi's innovative designs allow devices to mount to headwalls, counters, ceilings, floors, chairs and more.*



Ohio-based PDi Communication Systems, Inc. designs, manufactures and builds more complete arm-mounted bedside entertainment systems than anyone in the industry.

Allow PDi's engineering and experience to help you build the complete patient entertainment solution for your unique project needs.



## KEY FEATURES



NEW Web-based remote content management using GENiO™



Built by PDI for UL healthcare-grade, low-voltage standards.



Continuous, low-voltage power over Coax or Power over Ethernet.



Fully integrated all-in-one touchscreen tablet plus TV, built for healthcare.



Standard cabinet color is Starlight Gray. Ask about Black or Cream.



Compatible with PDI arms or available as rear VESA 75x75mm rear-mount for mounting in any situation.



RF-HEMiS head-end TV server by PDI or easy USB cloning makes TV set-up and updates quick and simple.



Designed, programmed and assembled in the U.S.A.



Trust PDI to design, inspect, install, warranty, and repair patient TV systems.

## SPECIFICATIONS

| PANEL | medTAB <sup>14</sup> | medTAB <sup>16</sup> | medTAB <sup>19</sup> |
|-------|----------------------|----------------------|----------------------|
|-------|----------------------|----------------------|----------------------|

|                      |          |           |          |
|----------------------|----------|-----------|----------|
| Diagonal Screen Size | 14.0"    | 15.6"     | 18.5"    |
| Display Resolution   | 1366x768 | 1920x1080 | 1366x768 |
| Backlight Type       | LED      | LED       | LED      |
| Contrast Ratio       | 500:1    | 800:1     | 1000:1   |

| TV STANDARDS | medTAB <sup>14</sup> | medTAB <sup>16</sup> | medTAB <sup>19</sup> |
|--------------|----------------------|----------------------|----------------------|
|--------------|----------------------|----------------------|----------------------|

|               |  |  |  |
|---------------|--|--|--|
| Antenna Input | NTSC, ATSC, QAM in the Clear (Air VHF/UHF, CATV, IRC, HRC) |  |  |
| MPEG4 / MPEG2 | Yes  |  |  |
| Pro:Idiom®    | Yes  |  |  |
| Dolby Audio™  | Yes  |  |  |

| TV SET-UP FEATURES | medTAB <sup>14</sup> | medTAB <sup>16</sup> | medTAB <sup>19</sup> |
|--------------------|----------------------|----------------------|----------------------|
|--------------------|----------------------|----------------------|----------------------|

|   |     |  |  |
|---|-----|--|--|
| Audio Volume Limiter                          | Yes |  |  |
| Internal Speaker Disable                      | Yes |  |  |
| Min/Max Volume Limiter                        | Yes |  |  |
| Start/ Power-on Volume                        | Yes |  |  |
| USB or RF-HEMiS TV Cloning & Firmware Updates | Yes |  |  |
| Parental Control (V-CHIP)                     | Yes |  |  |
| Programmable Source Selection                 | Yes |  |  |
| Password Protected Set-up Menus               | Yes |  |  |
| Channel Enable/Disable and Aliasing/Remapping | Yes |  |  |
| Closed-captioning                             | Yes |  |  |
| Menu OSD                                      | Yes |  |  |
| Factory Reset                                 | Yes |  |  |

| POWER | medTAB <sup>14</sup> | medTAB <sup>16</sup> | medTAB <sup>19</sup> |
|-------|----------------------|----------------------|----------------------|
|-------|----------------------|----------------------|----------------------|

|                 |                 |                        |                 |
|-----------------|-----------------|------------------------|-----------------|
| Source          | Power over Coax | PoE or Power over Coax | Power over Coax |
| Max Consumption | 24W             | 34W                    | 55W             |

| INPUT / OUTPUT | medTAB <sup>14</sup> | medTAB <sup>16</sup> | medTAB <sup>19</sup> |
|----------------|----------------------|----------------------|----------------------|
|----------------|----------------------|----------------------|----------------------|

|                 |                      |                   |                   |
|-----------------|----------------------|-------------------|-------------------|
| Ethernet        | Yes                  |                   |                   |
| RF Input        | 1 (75ohm Unbalanced) |                   |                   |
| USB             | 1, On Back           | 2, Patient Facing | 2, Patient Facing |
| HDMI            | Optional             |                   |                   |
| Front Headphone | Yes, 1/8" jack       |                   |                   |
| Speakers        | 2x2W RMS             | 2x1.7W RMS        | 2x1.7W RMS        |
| CCI             | Optional             |                   |                   |
| Pillow Speaker  | No                   | Optional          | No                |

| REGULATORY | medTAB <sup>14</sup> | medTAB <sup>16</sup> | medTAB <sup>19</sup> |
|------------|----------------------|----------------------|----------------------|
|------------|----------------------|----------------------|----------------------|

|                                  |     |  |  |
|----------------------------------|-----|--|--|
| UL/cUL 60065 Annex Q             | Yes |  |  |
| FCC Title 15, Part 47, Subpart B | Yes |  |  |
| RoHS                             | Yes |  |  |

| COMPUTER FEATURES | medTAB <sup>14</sup> | medTAB <sup>16</sup> | medTAB <sup>19</sup> |
|-------------------|----------------------|----------------------|----------------------|
|-------------------|----------------------|----------------------|----------------------|

|                   |                          |          |          |
|-------------------|--------------------------|----------|----------|
| OS                | Android 7.0 (Nougat)     |          |          |
| CPU               | Arm A53 Quad Core 1.5GHz |          |          |
| WiFi              | 802.11 b/g/n/ac          |          |          |
| Wireless Audio    | Yes                      |          |          |
| Ethernet          | Yes                      |          |          |
| Touchscreen       | Projected Capacitance    |          |          |
| RAM               | 2GB                      |          |          |
| Storage           | 16GB                     |          |          |
| Camera/Microphone | N/A                      | Optional | Optional |

| DIMENSIONS | medTAB <sup>14</sup> | medTAB <sup>16</sup> | medTAB <sup>19</sup> |
|------------|----------------------|----------------------|----------------------|
|------------|----------------------|----------------------|----------------------|

|                                 |  |  |   |
|---------------------------------|--|--|---|
| Weight Lbs. (Kg)                | 7 lbs (3.2 kg)                           | 7 lbs (3.2 kg)                           | 13 lbs (5.9 kg)                         |
| Unit Dimension (W/H/D) - Swivel | 14.5" x 14.5" x 1.9"<br>368 x 368 x 48mm | 15.2" x 14.8" x 2.5"<br>386 x 376 x 64mm | 20" x 17" x 2.5"<br>508 x 432 x 64mm    |
| Unit Dimension (W/H/D) - VESA   | 14.5" x 11" x 1.9"<br>368 x 279 x 48mm   | 15.2" x 11.3" x 2.5"<br>386 x 287 x 64mm | 20" x 13.75" x 2.5"<br>508 x 349 x 64mm |

| PART NUMBERS |  |
|--------------|--|
|--------------|--|

|   |   |
|---|---|
| medTAB14D-GB2, No Cam/Mic                                     | 14" medTAB Android TV-tablet with GENiO, COAX+CAT6(ENET), Starlight Gray, Coax Power        |
| medTAB16D1-GB2-C, with Cam/Mic                                | 16" medTAB Android TV-tablet with GENiO, COAX+CAT6(ENET), Starlight Gray, Coax Power or PoE |
| medTAB19D-GB2-C, No Cam/Mic<br>medTAB19D1-GB2-C, with Cam/Mic | 19" medTAB Android TV-tablet with GENiO, COAX+CAT6(ENET), Starlight Gray, Coax Power        |
| WTG-medTAB  | Premium Warranty  |

**Pro:Idiom**

**HDMI**  
HIGH-DEFINITION MULTIMEDIA INTERFACE

**Dolby Audio**

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc.

medTV and medTAB are trademarks of PDI Communication Systems, Inc. Some screen images are simulated. Dimension and weights are approximate. Design specification and features are subject to change without notice.



## Complete Solutions to Customize Your Patient Engagement Experience



medTAB<sup>14</sup>

### OUT-OF-THE-BOX EXPERIENCE

*preloaded*



TV



Games



Relaxation

*with internet*



Education  
(cdc.gov)



Internet



Social

✗ Includes "clear data" feature for patient privacy

### GENiO™ CUSTOM PATIENT EXPERIENCE

*Easily customize your patient experience with GENiO™ cloud-based remote content management by PDi.*

**GENiO™**  
powered by PDi

# 14" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color

## Swivel Arm-mounted Solutions



14" HDTV-Tablet

**medTAB14D-GB2 No Cam/Mic**  
Coax-powered 14" All-in-One touchscreen HDTV-Tablet + GENiO.  
Android™-based OS 7.0. Pro:Idiom. COAX+ENET.

|                             | <b>HEADWALL MOUNT</b>  | <b>COUNTER MOUNT</b>  | <b>RIGHT ANGLE MOUNT</b>   | <b>SUPER REACH CEILING MOUNT</b>  | <b>HORIZONTAL MOUNT</b>  | <b>FLOOR MOUNT</b>   |
|-----------------------------|--|---|--|---|--|--|
| <b>Support Arm</b>          | <b>PDI-AA1407-GB</b><br>68" Arm,<br>5/8" Base Pin,<br>Holds 7 lbs,<br>COAX+CAT6(ENET)  | <b>PDI-AA1407-GB</b><br>68" Arm,<br>5/8" Base Pin,<br>Holds 7 lbs,<br>COAX+CAT6<br>(ENET)   | <b>PDI-AA1407-GB</b><br>68" Arm,<br>5/8" Base Pin,<br>Holds 7 lbs,<br>COAX+CAT6(ENET)  | <b>PDI-AJ1007-GB</b><br>Extended 48"<br>Reach Ceiling Arm<br>(includes support<br>mount above<br>ceiling) Holds 7 lbs,<br>COAX+CAT6(ENET) | <b>PD153-004-G and<br/>PDI-AD1407-GB</b><br>Great for low ceilings,<br>No upward arm motion,<br>Std 23.5" extension,<br>31" drop reach.<br>Holds 7 lbs,<br>COAX+CAT6(ENET)   | <b>PDI-AA1407-GB</b><br>68" Arm,<br>5/8" Base Pin,<br>Holds 7 lbs,<br>COAX+CAT6<br>(ENET)  |
| <b>Mount</b>                | <i>Mount is included in<br/>Slim Power Mount<br/>(PDI-871-G)</i>   | <b>PDI-STM-14AV-G</b><br>14" Single Table<br>Mount with<br>Rotational Stops<br>and A/V Plate  | <b>PDI1295WRS-AV-G</b><br>Right Angle Counter<br>Mount with Rotational<br>Stops and A/V Cutout   | <i>Mount PDI-<br/>AJ1007-GB is<br/>Included in Arm</i>  | <i>Mount is Included in<br/>Slim Power Mount<br/>(PDI-871-G)</i>   | <b>PDI-886-G</b><br>48" tall Floor<br>Mount,<br>5/8" Base Pin  |
| <b>Power Supply</b>         | <b>PDI-871-G</b><br>Slim Power Mount<br>Combo Unit = Mount<br>and Power  | <b>PDI-750AS-G</b><br>Standard External<br>Power Supply   | <b>PDI-750AS-G</b><br>Standard External<br>Power Supply  | <b>PDI-750AS-G</b><br>Standard External<br>Power Supply   | <b>PDI-871-G</b><br>Slim Power Mount<br>Combo Unit = Mount<br>and Power  | <b>PDI-750AS-G</b><br>Standard External<br>Power Supply  |
| <b>Optional Accessories</b> | <b>PDI-179RS-G</b><br>Rotational Stop<br><b>PDI-255E-G</b> External<br>Backer Plate, 16" OC<br><b>PDI-254I</b> Internal<br>Backer Plate, 16" OC<br><b>PD108-420</b><br>Programming Remote<br><b>PD108-421</b><br>Patient Remote<br><b>WTG-medTAB</b><br>Premium Warranty | <b>PD203-103-G</b><br>AV Plate,<br>COAX+CAT5<br><b>PDI-STM-BP</b><br>Internal Backer<br>Plate<br><b>PD108-420</b><br>Programming<br>Remote<br><b>PD108-421</b><br>Patient Remote<br><b>WTG-medTAB</b><br>Premium Warranty | <b>PD203-103-G</b><br>AV Plate, COAX+CAT5<br><b>PDI-STM-BP</b><br>Internal Backer Plate<br><b>PD108-420</b><br>Programming Remote<br><b>PD108-421</b><br>Patient Remote<br><b>WTG-medTAB</b><br>Premium Warranty | <b>PD108-420</b><br>Programming<br>Remote<br><b>PD108-421</b><br>Patient Remote<br><b>WTG-medTAB</b><br>Premium Warranty                  | <b>PDI-179RS-G</b><br>Rotational Stop<br><b>PDI-255E-G</b> External<br>Backer Plate, 16" OC<br><b>PDI-254I</b> Internal<br>Backer Plate, 16" OC<br><b>PD108-420</b><br>Programming Remote<br><b>PD108-421</b><br>Patient Remote<br><b>WTG-medTAB</b><br>Premium Warranty | <b>PDI-244DBF-G</b><br>Dual Rotational<br>Stops<br><b>PD108-420</b><br>Programming<br>Remote<br><b>PD108-421</b><br>Patient Remote<br><b>WTG-medTAB</b><br>Premium<br>Warranty |

# 14" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color

## Rear VESA Mounted Solutions

### COMPLETE CEILING MOUNT / HI-TILT



### CHAIR MOUNT



### MOBILE CART MOUNT



### SPACESAVER INFUSION SYSTEM



#### medTAB14DR-GB2 No Cam/Mic


Coax-powered, rear-mounted 14" All-in-One touchscreen HDTV-Tablet + GENiO. Android™-based OS 7.0. Pro:Idiom. COAX+ENET.

|                      |   |   |   |   |
|----------------------|---|---|---|---|
| 14" HDTV-Tablet      | <p><b>medTAB14DR-GB2 No Cam/Mic</b><br/>Coax-powered, rear-mounted 14" All-in-One touchscreen HDTV-Tablet + GENiO. Android™-based OS 7.0. Pro:Idiom. COAX+ENET.</p> |   |   |   |
| Support Arm          | <p><b>PD1-AC1410-GB</b><br/>Complete Ceiling Arm (includes support mount above ceiling) 39" arm length, 43" to 68" support length. Holds 7 lbs, COAX</p>            | <p>24" reach, 75x75 and 100x100, COAX+CAT6(ENET)</p>  | <p>17" reach, 75x75 and 100x100, COAX+CAT6(ENET)<br/><i>Included with PDI-MCP</i></p> <p><b>PD181-813</b><br/>Adapter 100x100mm</p> | <p><b>PD168-066</b><br/><i>(includes power supply)</i><br/>17" reach 75x75 and 100x100</p>                                  |
| Mount                | <p><i>Mount is included in PD1-AC1410-GB arm.</i></p> <p><b>PD168-222</b><br/><i>Pendant Kit Rear-mounted 14" positions TV parallel to bed</i></p>                  | <p><i>Call for Options. Designs for certain models of Champion Chair, IOA Healthcare Furniture, and La-Z-Boy.</i></p>   | <p><b>PDI-MCP</b><br/>48" Mobile medTV cart with integrated cable management and low-voltage power supply.</p>                      | <p><i>Mount is included in PD168-066 arm.</i></p>   |
| Power Supply         | <p><b>PD1-750AS-G</b><br/>Standard External Power Supply</p>  | <p><b>PDI-750AS-G</b><br/>Standard External Power Supply</p>  | <p><i>AC Power is Included In Mobile Cart</i></p>   | <p><i>Power Supply is Included in PD168-066 arm.</i></p>  |
| Optional Accessories | <p><b>PD108-420</b> Programming Remote</p> <p><b>PD108-421</b> Patient Remote</p> <p><b>WTG-medTAB</b> Premium Warranty</p>   | <p><b>PD181-813</b> Adapter 100x100mm</p> <p><b>PD181-783</b> Plate 100x100mm</p> <p><b>PD181-785</b> Plate 75x75mm</p> <p><b>PD108-420</b> Programming Remote</p> <p><b>PD108-421</b> Patient Remote</p> <p><b>WTG-medTAB</b> Premium Warranty</p> | <p><b>PD108-420</b> Programming Remote</p> <p><b>PD108-421</b> Patient Remote</p> <p><b>WTG-medTAB</b> Premium Warranty</p>         | <p><b>PD108-420</b> Programming Remote</p> <p><b>PD108-421</b> Patient Remote</p> <p><b>WTG-medTAB</b> Premium Warranty</p> |

# 14" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color

## Swivel Arm-mounted Solutions



|                      |  |  |  |  |  |  |
|----------------------|--|--|--|--|--|--|
| 14" HDTV-Tablet      | <p align="center"><b>medTAB14D-GB2 No Cam/Mic</b><br/>Coax-powered 14" All-in-One touchscreen HDTV-Tablet + GENiO.<br/>Android™-based OS 7.0. Pro:Idiom. COAX+ENET.</p>  |  |  |  |  |  |
| Support Arm          | <p><b>PDI-AA1407-GB</b><br/>68" Arm,<br/>5/8" Base Pin,<br/>Holds 7 lbs,<br/>COAX+CAT6(ENET)</p>   | <p><b>PDI-AA1407-GB</b><br/>68" Arm,<br/>5/8" Base Pin,<br/>Holds 7 lbs,<br/>COAX+CAT6<br/>(ENET)</p>  | <p><b>PDI-AA1407-GB</b><br/>68" Arm,<br/>5/8" Base Pin,<br/>Holds 7 lbs,<br/>COAX+CAT6(ENET)</p>   | <p><b>PDI-AJ1007-GB</b><br/>Extended 48"<br/>Reach Ceiling Arm<br/>(includes support<br/>mount above<br/>ceiling) Holds 7 lbs,<br/>COAX+CAT6(ENET)</p> | <p><b>PD153-004-G and<br/>PDI-AD1407-GB</b><br/>Great for low ceilings,<br/>No upward arm motion,<br/>Std 23.5" extension,<br/>31" drop reach.<br/>Holds 7 lbs,<br/>COAX+CAT6(ENET)</p>  | <p><b>PDI-AA1407-GB</b><br/>68" Arm,<br/>5/8" Base Pin,<br/>Holds 7 lbs,<br/>COAX+CAT6<br/>(ENET)</p>  |
| Mount                | <p><b>PDI-179AV-G</b><br/>Standard Arm Mount</p>   | <p><b>PDI-STM-14AV-G</b><br/>14" Single Table<br/>Mount with<br/>Rotational Stops<br/>and A/V Plate</p>  | <p><b>PDI1295WRS-AV-G</b><br/>Right Angle Counter<br/>Mount with Rotational<br/>Stops and A/V Cutout</p>   | <p><i>Mount PDI-<br/>AJ1007-GB is<br/>Included in Arm</i></p>  | <p><b>PDI-179AV-G</b><br/>Standard Arm Mount</p>   | <p><b>PDI-886-G</b><br/>48" tall Floor<br/>Mount,<br/>5/8" Base Pin</p>  |
| Power Supply         | <p align="center"><b>PDI-772</b> or<br/><b>PDI-772HE-IND</b> Ten-tap Central Power Supply</p>  |  |  |  |  |  |
| Optional Accessories | <p><b>PDI-179-EXT-G</b><br/>4" Extension</p> <p><b>PDI-179RS-G</b><br/>Rotational Stop</p> <p><b>PDI-255E-G</b> External<br/>Backer Plate, 16" OC</p> <p><b>PDI-254I</b> Internal<br/>Backer Plate, 16" OC</p> <p><b>PD108-420</b><br/>Programming Remote</p> <p><b>PD108-421</b><br/>Patient Remote</p> <p><b>WTG-medTAB</b><br/>Premium Warranty</p> | <p><b>PD203-103-G</b><br/>AV Plate,<br/>COAX+CAT5</p> <p><b>PDI-STM-BP</b><br/>Internal Backer<br/>Plate</p> <p><b>PD108-420</b><br/>Programming<br/>Remote</p> <p><b>PD108-421</b><br/>Patient Remote</p> <p><b>WTG-medTAB</b><br/>Premium Warranty</p> | <p><b>PD203-103-G</b><br/>AV Plate, COAX+CAT5</p> <p><b>PDI-STM-BP</b><br/>Internal Backer<br/>Plate</p> <p><b>PD108-420</b><br/>Programming Remote</p> <p><b>PD108-421</b><br/>Patient Remote</p> <p><b>WTG-medTAB</b><br/>Premium Warranty</p> | <p><b>PD108-420</b><br/>Programming Remote</p> <p><b>PD108-421</b><br/>Patient Remote</p> <p><b>WTG-medTAB</b><br/>Premium Warranty</p>                | <p><b>PDI-179-EXT-G</b><br/>4" Extension</p> <p><b>PDI-179RS-G</b><br/>Rotational Stop</p> <p><b>PDI-255E-G</b> External<br/>Backer Plate, 16" OC</p> <p><b>PDI-254I</b> Internal<br/>Backer Plate, 16" OC</p> <p><b>PD108-420</b><br/>Programming Remote</p> <p><b>PD108-421</b><br/>Patient Remote</p> <p><b>WTG-medTAB</b><br/>Premium Warranty</p> | <p><b>PDI-244DBF-G</b><br/>Dual Rotational<br/>Stops</p> <p><b>PD108-420</b><br/>Programming<br/>Remote</p> <p><b>PD108-421</b><br/>Patient Remote</p> <p><b>WTG-medTAB</b><br/>Premium Warranty</p> |



# 14" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color

## Rear VESA Mounted Solutions

### COMPLETE CEILING MOUNT / HI-TILT



### CHAIR MOUNT



### SPACESAVER INFUSION SYSTEM



#### medTAB14DR-GB2 No Cam/Mic

Coax-powered, rear-mounted 14" All-in-One touchscreen HDTV-Tablet + GENiO. Android™-based OS 7.0. Pro:Idiom. COAX+ENET.

14" HDTV-Tablet

Support Arm

#### PDI-AC1410-GB

Complete Ceiling Arm (includes support mount above ceiling) 39" arm length, 43" to 68" support length. Holds 7 lbs, COAX

24" reach, 75x75 and 100x100, COAX+CAT6(ENET)

#### PD168-068

(no power supply)  
17" reach 75x75 and 100x100

Mount

Mount is included in PDI-AC1410-GB arm.

#### PD168-222

Pendant Kit Rear-mounted 14" positions TV parallel to bed

Call for Options.

Designs for certain models of Champion Chair, IOA Healthcare Furniture, and La-Z-Boy.

Mount is included in PD168-068 arm.

Power Supply

#### PDI-772HE or PDI-772HE-IND

Ten-tap Central Power Supply

Optional Accessories

#### PD108-420

Programming Remote

#### PD108-421

Patient Remote

#### WTG-medTAB

Premium Warranty

#### PD181-813

Adapter 100x100mm

#### PD181-783

Plate 100x100mm

#### PD181-785

Plate 75x75mm

#### PD108-420

Programming Remote

#### PD108-421

Patient Remote

#### WTG-medTAB

Premium Warranty

#### PD108-420

Programming Remote

#### PD108-421

Patient Remote

#### WTG-medTAB

Premium Warranty

PDi offers many cable configurations. Standard options are shown below. Remember to order the same cables in PDi arm and medTAB device.

|                                  | PART NUMBER   | COLOR                  | CABLES AND DESCRIPTION  |
|----------------------------------|---|------------------------|---|
| PDi Swivel Arm-mounted Solutions | HDTV-TABLET   |                        |   |
|                                  | <b>medTAB14D-xB2</b><br>x=color B/C/G                                 | Black<br>Cream<br>Gray | COAX+CAT6(ENET). PDi arm-mounted medTAB <sup>14</sup> with GENiO. Power over Coax.                  |
|                                  | <b>PDI-AA1407-xB</b><br>x=color B/C/G                                 |                        | 1400 Series Support Arm, 68" reach, Supports 7 lbs for medTAB <sup>14</sup> . COAX+CAT6(ENET).      |
|                                  | HDTV-TABLET with EXTERNAL DEVICES (Gaming Systems, DVD Players, etc.) |                        |   |
|                                  | <b>medTAB14D-xH2</b><br>x=color B/C/G                                 | Black<br>Cream<br>Gray | COAX+CAT6(ENET)+HDMI. PDi arm-mounted medTAB <sup>14</sup> with GENiO. Power over Coax.             |
| Rear VESA Mounted Solutions      | <b>PDI-AA1407-xH</b><br>x=color B/C/G                                 |                        | 1400 Series Support Arm, 68" reach, Supports 7 lbs for medTAB <sup>14</sup> . COAX+CAT6(ENET)+HDMI. |
|                                  | <b>medTAB14DR-xB2</b><br>x=color B/C/G                                | Black<br>Cream<br>Gray | Rear VESA medTAB <sup>14</sup> with GENiO. COAX+CAT6(ENET). Power over Coax.                        |
|                                  | <b>medTAB14DR-xH2</b><br>x=color B/C/G                                |                        | Rear VESA medTAB <sup>14</sup> with GENiO. COAX+CAT6(ENET)+HDMI.                                    |

Please call 800.628.9870 for additional configurations.

PDi Individual Low-voltage Power Supplies



Individual Slim Power Mount, Starlight Gray  
**PDI-871-G**



Individual External Power Supply, Starlight Gray  
**PDI-750AS-G**

PDi 10-Tap Central Power Supplies



1 RF Input/ 10 RF ACTV Outputs  
**PDI-772HE**



10 RF Inputs/ 10 RF ACTV Outputs  
**PDI-772HE-IND**  
- For use with PDi Minimods -



Color Options

Starlight Gray, Cream, Black

